

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 1
IN VITRO PERMEATION THROUGH MEMBRANE
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 1

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 2
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol/Water (40/60)




FIG. 2

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 2
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol/Water (40/60)




FIG. 3

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 3
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 4

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 4
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 5

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 5, 6 and 7
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 6

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 5, 6 and 7
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 7

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 8, 9, AND 10
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 8

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 8, 9 AND 10
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 9

SECRET 203444

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 11, 12, AND 9
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 10

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 13 AND 14
IN VITRO PERMEATION THROUGH MEMBRANE
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 11

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 13 AND 14
IN VITRO PERMEATION THROUGH MEMBRANE
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 12

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 15 AND 16

IN VITRO PERMEATION THROUGH MEMBRANE
Receptor: Ethyl Alcohol : Water (40:60)




FIG. 13

FIG. 14

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 15 AND 16

IN VITRO PERMEATION THROUGH MEMBRANE

Receptor: Ethyl Alcohol : Water (40:60)




FIG. 14